
Stigma: If we build it, will they come?

Patrick W. Corrigan, Psy.D. the Illinois Institute of Technology and the Chicago Consortium for Stigma Research



Goals

- Review stigma effect on care seeking and adherence
- · Consider ways to challenge stigma
- Describe the importance of an evidencebased approach
- Recommendations





The Chicago Consortium for Stigma Research


- Illinois Institute of Technology
- · Univ of Chicago
- · Univ Illinois, Chicago
- Illinois State University
- · Northern Illinois University
- Loyola University
- Northwestern University

www.stigmaresearch.org

Depression in Adults:







Fail to Seek Care or Adhere to Treatment

- Impact
 - Symptoms and distress
 - More enduring disabilities
 - · Relationships (family)
 - Work
 - · Independent living
 - Quality of life



What causes failure to seek or use?


- Stigma
- Mental Health Literacy
 - About illness
 - About services
- · Availability and Accessibility




A Typology of Stigma


- · Public stigma
 - Stereotypes
 - Prejudice
 - Discrimination
- Self-stigma
- · Label Avoidance
















Label Avoidance


- · Avoid the pernicious public effects of stigma
- · Avoid services and service providers
- · Public stigma and care seeking
 - Halter (2003)
 - Cooper, Corrigan, & Watson (2003)







Addressing Label Avoidance


- Education
 - Myths and facts of mental illness
- Contact
 - Meet Bob Lundin














The State of the Research

- · Short and long term attitude and intention change
- Internally valid social psychological methods

Research Directions



What's Out There?

Current Programs

- · World Psychiatric Association
 - www.worldpsychiatricassociation.org/sections/stigma/index.shtml
 - Programs by country (N>50)
- · US SAMHSA's Resource Center
 - www.stopstigma.samhsa.gov/default.aspx
 - Programs by state (N>100)
- Canada Programs
 - "...the Commission is launching a major, national 10-year antistigma and discrimination reduction campaign. This campaign will be the largest systematic effort to reduce the stigma of mental illness in Canadian history"






Public Service Announcements




http://www.whatadifference.samhsa.gov/



Media Watch Fright Night Scream Park Fright Night Scream Park www.nami.org./stigma

Depression in Adults:



Ahead of the Data! Intervene Now!

"There's a temptation for the Commission to sprint out of the gate with a mass marketing campaign, but that would be a mistake."

Evidence Based Approach

- -Policy: disseminate approach "A"
- -Practice: I will use "B" locally


A model for stigma change strategies

Depression in Adults:



Evidence Based Considerations

- · Dependent measures
 - Attitude
 - Physiological change
 - Information processing
 - Social behavior
 - Behavioral intention
 - Behavior




Evidence Based Considerations

- · Reducing discrimination versus affirming actions
- · Effect size and specificity
- · Unit of measurement
- · Manuals and Fidelity
- Feasibility




Evidence Based Approach

- WHO is to be targeted.
- WHAT needs to be changed.
- HOW will this be changed.
- · WHEN will change occur
- MEASURE IT



RECOMMENDATION Technical Support Center Evaluation Stigma Change **Approaches** Methods Catalogue existing Research methods training programs Consultation on methods Support manual development Mentoring young scientists RFA development: to Training and fidelity identify national change RFA development: for local stigma change Depression in Adults:



Evidence Based Considerations

- · latrogenic effects
 - Mental illness is a brain disorder
- · Cost effectiveness
 - Intervention strategies
 - Evaluation
- · Process
 - Quantity (
 - number of discrete interventions
 - · Length in minutes of those interventions
 - Follow-up
 - Quality (engagement)



